



Green World
With
Liquid Engineering




WE ARE PALSUN

We see our role as a supportive partner to our customers, irrespective of the industry or sector in which they operate.

Compact Industries is founded during 2021 by Mukesh Pal. The Company is equipped with Latest Technology blending plant situated in Vapi to produce world class automotive & Industrial products. The company has future expansion plan for manufacturing different type of automotive oil and industrial greases. We understand our customer's needs, and the industries they operate in.

We are familiar with the increasingly stringent and the expected contribution towards Maximum value creation. Our company strength lies in developing, producing and optimizing the application of quality lubricants for automotives industrial and commercial use. The brochure describes in brief the properties of lubricating oils, greases and specialties product used in various automotive industries and Industrial sectors. We always look forwards to relationship.



MUKESH PAL
Managing Director



Elite Power 4T 10W30

API SM JASO MB

Palsun Elite Power 4T 10W30 is blended from superior quality high viscosity index base oil & specially selected performance additives to prove excellent protection for engine, gearbox and wet clutch used in 4-Stroke motorcycle.

Recommended for all new generation 4-Stroke gasoline engines in high performance motorcycles of all leading manufacturers.

Blending Process :

Synthetic Technology

Pack Size :

800 ml, 900 ml, 1 L, 50 L, 210 L



Elite Power 4T 10W30

API SN JASO MA-2

Palsun Elite Power 4T 10W30 is blended from superior quality high viscosity index base oil & specially selected performance additives to prove excellent protection for engine, gearbox and wet clutch used in 4-Stroke motorcycle.

Recommended for all new generation 4-Stroke gasoline engines in high performance motorcycles of all leading manufacturers.

Blending Process :

Synthetic Technology

Pack Size :

800 ml, 900 ml, 1 L, 50 L, 210 L



Premium 4T Power 20W40

API SN JASO MA-2

Palsun Premium 4T Power 20W40 with active bond is modern, high quality engine oil developed specially for 4-Stroke motorcycle engines. The special active bond clings and protects critical engine components, providing fast and effective protection in all riding

conditions. Palsun Premium 4T Power 20W40 protects the engine, clutch and gears and allows the best functionality of these three critical areas of the motorcycle.

Blending Process :

Synthetic Technology

Pack Size :

900 ml, 1 L, 50 L, 210 L



Premium 4T Power 20W40

API SL JASO MA-2

Palsun Premium 4T Power 20W40 with active bond is modern, high quality engine oil developed specially for 4-Stroke motorcycle engines. The special active bond clings and protects critical engine components, providing fast and effective protection in all riding

conditions. Palsun Premium 4T Power 20W40 protects the engine, clutch and gears and allows the best functionality of these three critical areas of the motorcycle.

Blending Process :

Mineral Technology

Pack Size :

900 ml, 1 L, 50 L, 210 L



Champ Booster 15W50

API SM JASO MA-2

Palsun Champ Booster 15W50 is a premium quality oil with advanced technology to cater to the high demanding lubrication requirements of modern 4-Stroke geared bikes.

Champ Booster 15W50 is formulated for all the models of geared 4-Stroke engines.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 2.5 L, 5 L, 50 L, 210 L



Champ Booster 4T 20W50

API SN JASO MA-2

Palsun Champ Power 4T 20W50 is blended with high viscosity index semi synthetic base oils and selected additives. It provides a high degree of reliability even under severe operating conditions. Enhanced engine & gearbox protection.

Recommended for new generation high performance motorcycles.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 2.5 L, 5 L, 50 L, 210 L



Moto Booster 5W30

API SN+

Palsun Moto Booster Modern Engine 5W30 Synthetic blend has standard long drain interval improves Engine Protection Cleanliness and Performance. Prevent oil thickening and Extreme Engine Life. It also provides high temperature stability. It provides good engine cleanliness.

It provides good engine cleanliness. It provides good engine cleanliness.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 3.5 L, 50 L, 210 L



Runner 5W40

API SN+

Palsun Moto Booster Modern Engine 5W40 Synthetic blend has standard long drain interval improves Engine Protection Cleanliness and Performance. Prevent oil thickening and Extreme Engine Life. It also provides high temperature stability.

It provides good engine cleanliness. It provides good engine cleanliness.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 3.5 L, 50 L, 210 L





Elite Modern Engine 10W30

API SN+

Palsun Elite Modern Engine 10W30 is blended from superior quality high viscosity index base oil & specially selected performance additives to provide excellent protection for engine, gear box clutch used in cars.

Recommended for modern era petrol engines in high performance premium cars of all leading manufacturers.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 3.5 L, 50 L, 210 L



Elite Modern Engine 10W40

API SN/CF

Palsun Elite Modern Engine 10W40 is blended from superior quality high viscosity index base oil & specially selected performance additives to provide excellent protection for engine, gear box clutch used in Premium cars.

Recommended for modern era petrol & diesel engines in high performance premium cars of all leading manufacturers.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 3.5 L, 50 L, 210 L



Eco Gasoline 20W50

API SG/CF

Palsun Eco Gasoline Engine 20W50 is superior heavy duty multi-grade engine oil specially made for engines running on CNG/LPG as well as Petrol. This oil is made htqo"j{ftq"jpkuj"uwrgtkqt"swcnkv("qh"itqwr"KK"dcug"qkn" hqtvk.jgf"ykvj"co"yqtnf"encuu"cffkvkxg"roemcig0"Kv"ku"

specially designed for heavy duty luxury cars operated on highways for all weather year round use.

Blending Process :

Mineral Technology

Pack Size :

1 L, 3 L, 3.5 L, 50 L, 210 L



Premium 20W50

API SM/CF

Palsun Premium Engine Oil 20W50 is blended with high viscosity index semi synthetic base oils and selected additives. It provides a high degree of reliability even under server operating conditions. Enhanced engine cpl"igct"nkhg0"Jkijgt"hwgn"ghJekppe{0

Recommended for new generation high performance motorcycles.

Blending Process :

Mineral Technology

Pack Size :

1 L, 2.5 L, 5 L, 50 L, 210 L



Elite Turbo 15W40

API CK-4

Palsun Fleet Turbo 15W40 is high performance heavy duty fkgugn"gpikpg"qkn"urgekJecnn{"fgxgnqrgf"htq"nqy"gokuukap" vehicles. Effective anti wear characteristics protect engine components.

Recommended for application is On-Off highway trucking application operation in high speed high load & sharp haul pickup / delivery vans, construction, mining and agriculture.

Blending Process :

Synthetic Technology

Pack Size :

1 L, 5 L, 7 L, 10 L, 15 L, 55 L, 210 L



Turbo Ultra 15W40

API CK-4

Palsun Turbo Ultra 15W40 is high performance heavy fww{"fkgugn"gpikpg"qkn"urgekJecnn{"fgxgnqrgf"htq"nqy" emission vehicles. Effective anti wear characteristics protect engine components.

Recommended for application is On-Off highway trucking application operation in high speed high load & sharp haul pickup / delivery vans, construction, mining and agriculture.

Blending Process :

Mineral Technology

Pack Size :

1 L, 5 L, 7 L, 10 L, 15 L, 55 L, 210 L



Fleet Turbo 15W40

API CF-4/SG

Palsun Fleet Turbo 15W40 is high performance heavy duty fkgugn"gpikpg"qkn"urgekJecnn{"fgxgnqrgf"htq"nqy"gokuukap" vehicles. It has excellent soot dispersions and wear control while providing outstanding protection against wear and corrosion. Its superior formula reduces sludge, protects

against varnish formation and Effective anti wear characteristics protect engine components.

Recommended for application is On-Off highway truck, high load &, construction, mining and agriculture.

Blending Process :

Mineral Technology

Pack Size :

1 L, 5 L, 10 L, 15 L, 55 L, 210 L



Fleet Turbo 15W40

API CI-4+/SL

Palsun Fleet Turbo 15W40 is high performance heavy fww{"fkgugn"gpikpg"qkn"urgekJecnn{"fgxgnqrgf"htq"nqy" emission vehicles. It has superior anti-oxidation characteristics and high temperature stability. Effective anti wear characteristics protect engine components.

Recommended for application is On-Off highway trucking application operation in high speed high load & sharp haul pickup / delivery vans, construction, mining and agriculture.

Blending Process :

Mineral Technology

Pack Size :

1 L, 5 L, 10 L, 15 L, 55 L, 210 L





Fleet Turbo Premium 15W40

API CK-4

Palsun Fleet Turbo Premium 15W40 is a top tier low ash diesel engine oil designed with synthetic technology for ncvguv"igpgtcvkq"wnvtc/nqy"qokuukq"DU"XK"xgjkengu"Jvvgf" with after treatment devices such as Diesel Particulate Filters (DPFs), Exhaust Gas Recirculation (EGR) and

Selective Catalytic Reduction (SCR) devices etc. It is specially designed for robust engine performance and longer oil life

Blending Process :

Synthetic Technology

Pack Size :

1 L, 5 L, 10 L, 15 L, 55 L, 210 L



Special Multi Engine Oil 20W40

API CF-4

Palsun Special MultiGrade 20W40 is a heavy duty diesel engine oil formulated from virgin oil base oils and selected additives to provide reliable protection to engines operating under various environments.

Diesel engines of all leading engine manufactures where such performance level oil is recommended. Heavy duty diesel engines are used in mining, construction, agriculture and other off - highway road applications.

Blending Process :

Mineral Technology

Pack Size :

1 L, 3.5 L, 55 L, 210 L



Tractor Shakti 15W40

API CF-4/SG

Palsun Tractor Shakti 15W40 revolutionary high performance oil especially made for various models of tractors and farm equipment used in farms. It is formulated keeping all the weather conditions with dguv"swcnkv"qh"okpgtgn"dcug"qkn"hqtkvjg"ykvj"vcknq"ocfg" additive system.

Blending Process :

Mineral Technology

Pack Size :

1 L, 5 L, 7.5 L, 10 L, 55 L, 210 L



Universal Tractor Oil 20W40

API CF-4

Palsun Universal Tractor Oil 20W40 is made from ugngevgf"dcug"qkn"hqtkvjg"ykvj"vcknq"ocfg"cffkvkxg" system enhancing the properties like anti corrosion low power point and good lubrication. It increases fuel economy. It is specially made for use in Tractors and

farm equipment manufactured by all leading manufacturers.

Blending Process :

Mineral Technology

Pack Size :

1 L, 5 L, 7.5 L, 10 L, 55 L, 210 L



Pump Set Oil 20W40

API CC/SE

Palsun Universal Tractor Oil 20W40 Oil is made from ugngevgf"dcug"qkn"hqtkvjg"ykvj"vcknq"ocfg"cffkvkxg" system enhancing the properties like anti corrosion low power point and good lubrication to pumpsets. It is ideal for all kinds of agricultural pump sets and other

stationeries engines for industrial use.

Blending Process :

Mineral Technology

Pack Size :

1 L, 3.5 L



OIB / WBO / UTTO

Palsun oib / wbo / utto is made from selected base oil hqtkvjg"ykvj"cpvk"eqttqkqap."nqy"raygt"rqkp"cpf"iqqf" lubrication. It increases fuel economy. It is specially made for use in Tractors and Farm equipment manufactured by all leading manufacturers.

The product can also be used in other off-road/construction equipment tgswtkpi"WVVQ"v{rg"vtcpuokuukq"jwkf0

Recommended for application is Agriculture Vehicles.

Blending Process :

Mineral Technology

Pack Size :

1 L, 3.5 L, 7.5 L, 55 L, 210 L



Gear Super EP- 90

API GL-4

Palsun Gear super EP-90 is blended with base oils selected extreme pressure additives, having high viscosity index with extremely good oxidation stability Provide anti foam, anti wear and anti rust properties. balanced product, reduce unwanted sounds.

Recommended for Lubrication of axles and mechanical transmission systems of cars, Buses, Trucks Tractors.

Pack Size :

1 L, 5 L, 20 L, 50 L, 210 L



Gear Trans 75W80

API GL-4

Palsun Gear Trans is formulated form high viscosity index mineral base oil blended with multipurpose uwnrjw"rjqurjqtwu"cffk.Jxg"u{uvgo0"Kv"eqphckpu"twuv" cpf"qzkfcvkq"kpjkdktvt"GR"cffkvkxgu"fgownuk.Jg"cpf anti-foam agents.

Gear Trans is suitable for manual transmission and differential of automobile whereEP GL-4.

Pack Size :

1 L, 5 L, 20 L, 50 L, 210 L





Gear Power 80W90

API GL-4

Palsun Gear Power 80W90 is blended with base oils selected extreme pressure additives, having high viscosity index with extremely good oxidation stability & Provide anti foam, anti wear and anti rust properties. Abalanced product reduce unwanted sounds.

Recommended for Lubrication of axles and mechanical transmission systems of Cars, Buses, Trucks Tractors.

Pack Size :

1 L, 5 L, 20 L, 50 L, 210 L



Gear Trans 75W85

API GL-4

Palsun Gear Trans 75W85 Its an API GL-4 gear lubricant specially recommended for manual transmissions and transaxles, automotive axles with hypoid gears operating under low to moderate loads, and spiral bevel gears operating at moderate to severe loading. It is a low viscosity product designed to minimize the

problems of shift baulking at low temperatures and excessive noise when the oil is hot. It contains rust and oxidation inhibitor EP additives fgownukJgfc"cpf"cpvk/hqco"cgpvu0"lgtc"Vtcpu"ku"uwkvcng"hg"ocpwn transmission and differential of automobile where EP GL-4 type of oil is recommended.

Pack Size :

1 L, 5 L, 55 L, 210 L



Gear Transaxle 85W140

API GL-4

Palsun Gear Transaxle is formulated index mineral base oil blended with multipurpose sulphur phosphorus additive system. It's designed for use in differentials, both hypoid and limited slip, in passenger cars, light commercials, 4WDs, trucks, construction, earth moving and agricultural

equipment where such a viscosity grade is required. It contains rust and azkfcvkqp"kpjkdvtq"GR"cffkvxgu"fgownukJgfc"cpf"cpvk/hqco"cgpvu0"lgtc" Trans is suitable for manual transmission and differential of automobile where EP GL-5 type of oil is recommended.

Pack Size :

1 L, 5 L, 50 L, 210 L



ATF/TQ

AUTOMOTIVE TRANSMISSION FLUID

Palsun ATF TQ is blended with mineral base oils combined with VI improves, antioxidants, anti-wear agents, detergents, anti-foaming agents and special additives to provides controlled friction or Lubricated characteristics. It provides protection against high

temperature deposits in heavy duty service. Recommended for use passenger car and light truck automatic transmission, power steering and other hydraulic system.

Pack Size :

1 L, 5 L, 55 L, 210 L



Brake Fluid DOT-3

Palsun Break Fluid 3 Consistent and steady break pressure response throughout service life optimal viscosity even during extreme temperature conditions. It has a very good dry boiling capacity, and a very good wet boiling capacity cu"ygnn0"Qpeg"vjg"jwkf"ku"gzrqugf"vq"vjg"cvouqjrg"cpf"

to water they act quickly, and very well.

Suitable For All Break Clutch System Except Those which are compatible with mineral Break Fluids. This Fluid Exceeds the Performance Tgswktgogpvu"qh"vjg"hnqnqkpi"UrgekJecvkapu0

Pack Size :

500 ML, 1 L



Brake Fluid DOT-4

Palsun Break Fluid IV Consistent and steady break pressure response throughout service life optimal viscosity even during extreme temperature conditions. maximum Protection against vapor formation and corrosion.

Suitable For All Break Clutch System Except Those which are compatible with mineral Break Fluids. This Fluid Exceeds the Performance Tgswktgogpvu"qh"vjg"vqnnqkpi"UrgekJecvkapu0

Pack Size :

500 ML, 1 L



Pro Coolant 1:5

GREEN COOLANT

Palsun Pro Coolant is long life radiator coolant prepared from Borate, silicate, Phosphate and Amine free selected ingredients. Radiator Coolant is an environmental friendly, MEG based coolant Formulated with OAT technology it provides excellent anti-freezing properties extra

protection against over heating and protection against rust, corrosion scale formation. Recommended for use In Radiators of Passenger cars, Jeep, Vans, Tempos, LCV , CV, all types of D.G. sets and other off highway equipment's.

Pack Size :

1 L, 3 L, 50 L, 210 L



RADIATOR COOLANT 1:3

GREEN COOLANT

Palsun Radiator Coolant is long life radiator coolant prepared from Borate, silicate, Phosphate and Amine free selected ingredients. Radiator Coolant is an environmental friendly, MEG based coolant Formulated with OAT technology it provides excellent anti-freezing

properties extra protection against over heating and protection against rust, corrosion scale formation. Recommended for use In Radiators of Passenger cars, Jeep, Vans, Tempos, LCV, CV all types of D.G. sets and other off highway equipment's.

Pack Size :

1 L, 3 L, 50 L, 210 L





Cool Blue RTU

BLUE RTU

Palsun Coolant Blue Antifreeze mixes with water to form a covalent bond to prevent the water from freezing. It also raises the boiling point to avoid the vehicle overheating and to minimise corrosion in your vehicle's engine. It is important to get this right as antifreeze goes right into the heart of your vehicle's engine and getting it right for your vehicle has never dggp"oqtg"xkvcn."pqy"vjcv"cpvkhtgglg"jcu"dggp"ocfg"xgjkeng"urgekJe0 Recommended for use in Radiators of Passenger cars, Jeep, Vans, Tempos, LCV, CV & all types of D.G. sets and other off highway equipment's.

Pack Size :

1 L, 3 L, 50 L, 210 L



AF Coolant Red

ANTI FRIDGE RED COOLANT


Antifreeze Red is suitable for all year-round usage in automotive and commercial petrol and diesel engines and in certain industrial applications. It is manufactured using pure mono ethylene glycol, and OAT (Organic Acid Technology) anti-corrosive additives and

inhibitors; it has been formulated to be particularly effective in protecting heavy-duty diesel engines for periods of up to 5 years.

Recommended for use in Radiators of Passenger cars, Jeep, Vans, Tempos, LCV, CV all types of D.G. sets and other off highway equipment's.

Pack Size :

1 L, 3 L, 50 L, 210 L



Palsun Grease Green

API NLGI - 3

Multi functional Calcium base greases, having extreme pressure prop These greases possess excellent shear stability, high load carrying properties prevent welding seizure of moving parts under shock loading conditions. These greases are recommended for industrial &

automotive, earthmoving equipment gear couplings, electric motors, ball & roller bearing etc.

Recommended for Passenger cars, Vans, Trucks, Tractor General Industrial Equipment, Machine Tool and home Application.

Pack Size :

500 G, 1 Kg, 2 Kg, 5 Kg, 18 Kg, 180 Kg



Palsun Grease Red

API NLGI - 3

Multi functional Calcium base greases, having extreme pressure prop These greases possess excellent shear stability, high load carrying properties prevent welding seizure of moving parts under shock loading conditions. These greases are recommended for industrial &

automotive, earthmoving equipment gear couplings, electric motors, ball & roller bearing etc.

Recommended for Passenger cars, Vans, Trucks, Tractor General Industrial Equipment, Machine Tool and home Application.

Pack Size :

500 G, 1 Kg, 2 Kg, 5 Kg, 18 Kg, 180 Kg



Palsun Grease Blue

API NLGI - 3

PALSUN AP-3 GREASE is premium quality lithium complex soap based multi functional grease processed from premium quality base oil chemicals. It contains special chemical additives which enhanced oxidation resistance and special type of polymer to with stand oil separation.

Recommended for Passenger Cars, Vans, Trucks, Tractor, General Industrial Equipment, Machine Tool and home Application.

Pack Size :

500 G, 1 Kg, 2 Kg, 5 Kg, 18 Kg, 180 Kg



Palsun Grease MP3

API NLGI - 3

PALSUN MP3 GREASE is premium quality lithium complex soap based multi functional grease processed from premium quality base oil chemicals. It contains special chemical additives which enhanced oxidation resistance and special type of polymer to with stand oil separation.

Recommended for Passenger Cars, Vans, Trucks, Tractor, General Industrial Equipment, Machine Tool and home Application.

Pack Size :

500 G, 1 Kg, 2 Kg, 5 Kg, 18 Kg, 180 Kg



Hydraulic AW 68

AW 68

RCNUWP"J{ftcnke"C Y"8:"Ku"jkij"swcnkv("uqnxgvp"tgJpgf" mineral oils containing antioxidant, antirust, antiwear & antifoam additives. These oils have excellent compatibility with the seals used in hydraulic system.

Hydraulic AW 68 grade are recommended tor general hydraulic equipment in control and power transmission system. Gear boxes requiring anti wear properties such as machine oils and mildly loaded gear boxes.

Pack Size :

20 L, 26 L, 210L



Hydraulic AW 46

AW 46

RCNUWP"J{ftcnke"C Y"8:"Ku"jkij"swcnkv("uqnxgvp"tgJpgf" mineral oils containing antioxidant, antirust, antiwear & antifoam additives. These oils have excellent compatibility with the seals used in hydraulic system.

Hydraulic AW 46 grade are recommended tor general hydraulic equipment in control and power transmission system. Gear boxes requiring anti wear properties such as machine oils and mildly loaded gear boxes.

Pack Size :

20 L, 26 L, 210L





Power Blue

DIESEL EXHAUST FLUID

Power Blue is non-toxic, non-hazardous and non-flammable. It meets all the parameters of ISO 22241.

Recommended for new generation BS-6 Compliant Diesel Engine in high performance commercial vehicle and modern era premium segment cars of all leading manufacturers.

Pack Size :
5 L, 20 L, 50 L, 210 L



For Website Scan QR Code

PALSUN PETROCHEMICALS PVT. LTD,

Regd. Office :- Palsun, Sector 19 E, 31, CHB, Jodhpur, Rajasthan - 342 008

Office :- 54, Royal Industries Hub, Golden Quadrilateral Road Super Highway (DMIC Industrial Corridor),
NH 48, Across Daman Ganaga River Bridge, Valwada, Vapi Dist Valsad Gujarat - 396 195

Email ID :- info@palsunpetrochemicals.com | www.palsunpetrochemicals.com | Customer Care No. : +91 95873 09990